MARK SCHEME for the May/June 2011 question paper

for the guidance of teachers

0654 CO-ORDINATED SCIENCES

0654/61 Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

UNIVERSITY of CAMBRIDGE International Examinations

	Page 2	2	Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2011	0654	61
1	(a) (i)		86, 31, 27 ;; 4 correct = 2 marks, 3 correct = 1 mark)		[2]
	(ii)	yes,	similar repeats OR no, repeats too different ;		[1]
	(iii)	1 ma 89.5 29 ;	ark for a correct mean formula (e.g. 93 + 86/2) ; ; ;		[3]
	(iv)	inha	led air longer time (than exhaled) ; led has more oxygen ;		[2]
	(v)	high	loudy (A not)) ler CO ₂ ; n respiration ;		[2] [Total: 10]
2	(a) (i)	0.2,	0.3, 0.4 (all 3 = 1 mark) ;		[1]
	(ii)	50, 6	68 (both required) ;		[1]
	(iii)	corre	lled axes and sensible scales ; ect points ; ight line through origin ;		[3]
	(iv)		oortional / linear ; e to) straight line (graph) ;		[2]
	(v)		n graph (42mm)+/- 1 ; <u>r</u> indication on graph ;		[2]
	(b)				[1]
			,		[']

[Total: 10]

© University of Cambridge International Examinations 2011

I	Page 3	3	Mark Sch	eme: Teachers' versior	n Syllabus	Paper		
1			IGCS	SE – May/June 2011	0654	61		
3	(a) (i)		(damp) (red) litmus ; turns blue ;					
	(ii)	amm	onium (ion) ;			[1		
	(b) (i)	iron ³⁻	⁺ / iron(III) / Fe ³⁺ (not iron ²⁺ etc.) ;		[1]		
	(ii)	 (ii) (acidified) silver nitrate (solution) ; white ppt. if positive / Cl present ; no change if negative ; 						
			[3]					
	(iii)	sulfa	te (ion) ;			[1]		
	(iv)	to rei	move / dissolve a	ny carbonate (ions prese	nt) ;	[1		
	(c) iror	(c) iron(III) ammonium sulfate (allow ecf but must be 2 cations and 1 anion) ;						
						•		
ļ	(a) (i)	at ter at ter	nperature 10 °C v nperature 40 °C v	volume = 25 cm ³ ; volume = 61 cm ³ ;		-		
4	(a) (i) (ii)	at ter at ter	nperature 10 °C v nperature 40 °C v temperature / °C	volume = 25 cm ³ ; volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³	rate of increase in volume cm ³ / min (v-25) / 30	[Total: 10] [2		
1		at ter at ter	nperature 40 °C v	volume = 61 cm ³ ; increase in volume of dough		-		
1		at ter at ter	temperature 40 °C v	volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³	volume cm ³ / min (v-25) / 30	-		
1		at ter at ter	temperature 40 °C v temperature / °C 10	volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³ 0	volume cm ³ / min (v-25) / 30 0	-		
1		at ter at ter	temperature 40 °C v temperature / °C 10 20	volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³ 0 6	volume cm ³ / min (v-25) / 30 0 0.2(0)	-		
1		at ter at ter	temperature 40 °C v temperature / °C 10 20 30	volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³ 0 6 22	volume cm ³ / min (v-25) / 30 0 0.2(0) 0.73	-		
1		at ter	temperature 40 °C v temperature / °C 10 20 30 40	volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³ 0 6 22 36	volume cm ³ / min (v-25) / 30 0 0.2(0) 0.73 1.2(0)	-		
1		at ter	temperature 40 °C v temperature / °C 10 20 30 40 50	volume = 61 cm ³ ; increase in volume of dough (v-25) / cm ³ 0 6 22 36 29 0	volume cm ³ / min (v-25) / 30 0 0.2(0) 0.73 1.2(0) 0.97	-		

- **(b)** 40 °C ; (ecf)
- (c) incubator / oven / water bath set ;
- (d) 20 to 30 °C (increasing rate of reaction) enzyme gaining (kinetic) energy;
 40 to 60 °C (decreasing rate of reaction) because enzymes are becoming denatured / destroyed;

[2]

[1]

[1]

[Total: 10]

© University of Cambridge International Examinations 2011

	Page 4			Mark Scheme: Teachers' version	Syllabus	Paper
				IGCSE – May/June 2011	0654	61
5			54.8 1.5 ;	(+/- 0.1); (+/- 0.1); (ecf)		[2] [2]
	(b)	31.3 42.8				[2]
	.,	B : 3	31.3 ÷	4.4 = 11.3 ; 1.5 = 20.9 ; 4.8 = 8.9 ; (answers = 1 mark each) (ecf)		[3]
	(d)	A =	lead	$\mathbf{B} = \text{gold } \mathbf{C} = \text{copper}$; (ecf)		[1]
						[Total: 10]
6	(a)	(i)	73 ; 39 ;			[2]
	((ii)		ast 5 points correctly plotted for each oxide ;; elled curves / lines ;; (allow 1 mark if lines not label	led)	[4]
	(i	iii)	MnC	P_2 (no mark), more gas given off / gas given off faste	r / graph steeper ;	[1]
	• •		tula n oclock	neasures inaccurate / delay in putting stopper back ir	n / delay in starting	[1]
		 (c) retrieve / wash catalyst ; use again / compare mass before and after ; (note 'use again', 'on its own' = no marks) 				[2]
						[Total: 10]

© University of Cambridge International Examinations 2011